

Monocrystalline Solar Panel 40W


Instruction Manual

SOLAR PANEL 40W



Product Features

- Eco-friendly
- High efficiency
- Portable and lightweight
- Easy to set-up
- Support simultaneous charging of devices
- Waterproof rugged durability



DC charging cable provided with the panel.

Safety & Warranty

Safety Tips

- Do not bend the solar panel.
- Do not immerse the solar panel in water.
- Keep the solar panel away from extreme heat or fire.
- Clean the solar panel with a dry cloth.
- Do not pierce the solar panel casing with any sharp objects.
- Do not disassemble the panel contact our technical team if you have any issues with the panel.

Warranty

Please refer to the Warranty section on www.srportables.com for more details on product warranty.

The solar panels DO NOT include a Solar Charge Controller. A 10A Solar Charge Controller can be purchased separately.

Technical Specifications

| ITEMS | SPECIFICATIONS |
|---------------------------------|-------------------------|
| Maximum Power | 40.5W ± 5% |
| Solar Cell Type | Monocrystalline |
| Cell Efficiency | ≥19.5% |
| Maximum Operating Current (Imp) | > 2.2A ±5% |
| Short Circuit Current | > 2.45A ±5% |
| Maximum Power Voltage (Vmpp) | ≥18V |
| Open Circuit Voltage (Voc) | 23.4V ±5% |
| DC Output Connector | DC5521 x1 or Other Type |
| IP Rating | IPX4 |
| Working Temperature | -30°C ~ 75°C |
| Cloth Material | Camouflage PVC |
| Expanded Size | 870x410x5mm |
| Foldable Size | 410x350x45mm |
| Net Weight | 2kg |